

FIG. 1




FIG. 2

FIG. 2A





FIG. 3




FIG. 3A




FIG. 3B




FIG. 4




FIG. 5 Process Association Work




FIG. 5A




FIG. 5B




FIG. 5C






FIG. 6





406

Fig. 8
 Process Priority
 Dispatch Queues





FIG. 9
 Proxy Generated
 RPC Calls



Internet Mobility Protocol
 Connection Decision Tree.
FIG. 10A Connect and Send request logic




FIG. 10B




FIG. 10C




FIG. 11
 Terminate Connection request logic




Fig. 12
Retransmit Event Logic




FIG. 12A




FIG. 12B




FIG. 12C

Retransmission of IMP Frame




FIG. 13A
 Receive Event Logic





Fig. 13B

FIG. 13C






FIG. 14A
Passive Connection request logic




FIG. 14B




FIG. 15A

Abort Connection request logic




FIG. 15B




FIG. 16
DHCP Listener Data Structures





Fig. 17

FIG. 17A






FIG. 18
 ROAMING CONTROL CENTER-
 Mobile End System





FIG. 19A
 Interface Assisted Roaming
 (IAR) Decision Tree

FIG. 19B





Next Table Element	Previous Table Element	NPOA Unique Identifier	Network Level Address	Network Mask	Flags (i.e. Static Dynamic, etc.)	Timeout	Etc.
--------------------------	------------------------------	------------------------------	-----------------------------	-----------------	---	---------	------

Next Table Element	Previous Table Element	NPOA Unique Identifier	Network Level Address	Network Mask	Flags (i.e. Static Dynamic, etc.)	Timeout	Etc.
--------------------------	------------------------------	------------------------------	-----------------------------	-----------------	---	---------	------

•
•
•

Next Table Element	Previous Table Element	NPOA Unique Identifier	Network Level Address	Network Mask	Flags (i.e. Static Dynamic, etc.)	Timeout	Etc.
--------------------------	------------------------------	------------------------------	-----------------------------	-----------------	---	---------	------

FIG. 20
Interface Assisted Roaming
Topology Node




Fig.21
Disjoint network Roaming




Fig.22

Example Secure Disjoint Coordination




Fig.23